
TADIL 2.0

TECHNIQUES FOR THE AUTOMATIC
DESIGN OF LINEAR INFRASTRUCTURES






WHAT IS TADIL?

TADIL is an artificial INTELLIGENCE SOFTWARE applied to the automatic elaboration of layouts of linear infrastructure.

The TADIL Railway module is orientated to the study of railway infrastructures.



WHAT DOES TADIL DO?



This program allows to obtain in a very fast way the layout of several alternative infrastructures obtaining the plan axis and profile according to the regulation, the cross sections and its measurement, the earthwork plan, expropriations, earthwork balance, the budget, the public or private profitability and the subjective evaluation of the alternatives.





0+300 0+300 0+300 0+300 0+300 0+300 0+300 0+300 0+300 0+300 0-3 0+300 0+

SOME QUALITIES OF TADIL

TADIL AUTOMATICALLY INTERACTS WITH THE TERRITORY CONSIDERING ALL THE VARIABLES OF THE GEOGRAFIC INFORMATION SYSTEM (GIS).



THE USER CAN ENTER IN THE GIS THE GEOTECHNICAL VARIABLES APPLICABLE TO:

- THE TYPE SECTION OF THE EARTHWORK (FILL, CUTS, SCALING AND SCALING STEPS MATERIALS, USES OF EXCAVATION MATERIALS, SLOPES).
- TYPE SECTION OF LAYERS.
- TYPOLOGY AND CHARACTERISTICS OF TUNNELS (WHEN ITS USE IS AVAILABLE TO USERS).
- TYPOLOGY OF STRUCTURE FUNDATION.





THE CONSIDERATION OF ENVIRONMENTAL, PATRIMONIAL, SOCIOECONOMIC OR CLIMATIC VARIABLES ALLOWS TO OBTAIN RESPECTFUL AND INTEGRATED SOLUTIONS WITH THE TERRITORY.

THE INTRODUCTION OF PARAMETERS, SUCH AS THE MAXIMUM HEIGHT OF THE CUT SECTION OR EMBANKMENT, GUARANTEES THE BEST ENVIRONMENTAL INTEGRATION.



THE USER INTERACTION WITH TADIL IS DIRECT:

1st THE USER DEFINES THE GIS, HIS PREFERENCES, THE DESIGN CRITERIA AND THE VALUATIONS



2nd TADIL AUTOMATICALLY GENERATES ALTERNATIVES IN A COMPLETE WAY



3rd THE <u>USER CAN MODIFY</u> THE CRITERIA, <u>ENRICHING THE STUDY</u> AND IMPROVING THE PROPOSALS.



TADIL CONSIDERS THREE TYPE SOLUTIONS OF TUNNELS:

- HORSESHOE.
- VAULT.
- CIRCULAR (WITH OR WITHOUT VOUSSOIRS)...







ANDE

TADIL HAS A WIDE GALLERY OF TYPE SECTIONS OF STRUCTURES AND TUNNELS. THE PROGRAM AUTOMATICALLY ASSIGNS THEM TO THE CROSS SECTIONS ACCORDING TO THE USER PREFERENCES.



THE TREATMENT OF STUCTURES AND TUNNELS ALLOWS AN INTEGRAL VIEW OF THE PROJECT SINCE THE FIRST MOMENT THE ENGINEER STARTS THE DESIGN.

REGARDING THE GIS, THE USER CAN CREATE THE THEMATIC PLANS AT THE SAME TIME THAT THE AREAS AND ITS VARIABLES.



WAS (DERECHA) y (IZQUIERDA)

THE CAPACITY OF TADIL

SOME EXAMPLES:

It generates a feasibility study with 5 alternatives (completely calculated) of a new 100km double track railway line connection in just three hours which includes the information introduced in the GIS (such as protected areas, fauna, socio-economic sectors, geotechnical, climatic, etc.). The actual study lasted eight months.

It generates an alternative route of 140km obtaining the plan axis, the profile, the cross sections, the earthwork plan, the earthwork balance, the budget and the profitability in just $\underline{15}$ minutes. Obtaining of this route, including the budget and the profitability, could have lasted two or three months.



TADIL IS INTENDED FOR:

It is a software program very interesting for:

ADMINISTRATIONS OR PUBLIC COMPANIES WITH RESPONSIBILITIES IN THE INFRASTRUCTURES INVESTMENT STUDIES.

PRIVATE COMPANIES IN THE FIELD OF INFRASTRUCTURE EXPLOITATION.

CONSULTANCY COMPANIES THAT ASSIST TECHNICALLY THE AFOREMENTIONED.

ANDE



TYPE OF STUDIES:


TADIL ELABORATES TWO KINDS OF STUDIES:

- PREVIOUS STUDIES.
- INFORMATIVE STUDIES.

In the **previous study**, it is analysed the capacity of reception within a territory. It is obtained the cartography, the plan axis and the longitudinal profile.

In the **informative study**, it is implemented the prices database, the GIS and the type section. It is also obtained the axis and the profile, the cross sections, the earthwork plan, the earthwork balance, the budget, the profitability and the evaluation of the alternatives, that is, a complete definition of the alternatives.

We can say that the previous study is a fast way to check the possibility of fitting routes, when the informative study requires a higher knowledge about the territory to obtain rigorous solutions.





THE INTERFACE OF TADIL - THE MODULE TFB

THE MODULE TFB INCLUDES:


- · CONSTRUCTION UNIT DATABASE.
- · MACRO-PRICES DATABASE .
- · TYPE SECTION.
- · GEOGRAPHIC INFORMATION SYSTEM (GIS).

ONLY APPLICABLE IN THE INFORMATIVE STUDY.

THE GEOGRAPHIC INFORMATION SYSTEM:


INCLUDES:


- GEOTECHNICAL VARIABLES.
- BRIDGES AND VIADUCTS TYPOLOGY.
- ENVIRONMENTAL VARIABLES.
- CLIMATIC VARIABLES.
- SOCIOECONOMIC VARIABLES.
- PATRIMONIAL VARIABLES.




Example of module TFB, GIS. Climatic variables









Example of module TFB, GIS. Geotechnic




THE INTERFACE OF TADIL - THE MODULE TDI. GENERATION OF RAILWAY LAYOUTS


- · THE MODULE TDI IS DIFFERENT FOR THE INFORMATIVE STUDY AND THE PREVIOUS STUDY.
- · IN THE INFORMATIVE STUDY, THE USER SHOULD INDICATE THE DATABASE.
- · IN THE TDI MENU OF THE PREVIOUS STUDY, THE USER SHOULD ENTER THE DATA FOR A DYNAMIC CALCULATION OF THE AXIS; IN THE TDI MENU OF THE INFORMATIVE STUDY, A LARGE PART OF THIS INFORMATION IS TAKEN FROM THE TFB DATABASE IN A GEOREFERENCED WAY.



TDI. GENERATION OF LINEAR CONSTRUCTION WORK




Cross section of double track railway line in curves with its measures





Automatic introduction of sections of structures or tunnels where the user allowed it.

TDI. SOLUTIONS EDITOR



TDI. DECISION MATRIX


⊕ Usuarios	Ponderación di	valoraciones							
- Transporte públic - Vehículo privado	Nuevo Edit	ar Borrar Bo	mar Listad	2					
⊕ Mercancias — Lineas de ffoc	Listado hipótesis	TRA	GEO	ETM	MED	CLI	soc	PAT	ECC
- Transporte públic	Hpótesis001	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5
Tasas de seguridad	Hpôtesis 002	20	10	10	10	10	10	10	20
- Cambio de via y dom	Hpótesis003	8	10	10	10	10	10	12	30
Gastos financieros del ge	- 6	FFCC-V200-F					200	221	
Por tráfico Por estacionamiento Por estaciones	Listado solucio Selección	Nombre	para valori	oon	Gn		Velocite		rdio.
Valoración del trazado	E	FFCC-V200-F					200	221	
Valoración de la geotecn Valoración estructuras y (;; Valoración medioambien; Valoración afecciones ol Valoración yariables soci									
Valoración variables patri Valoración variables eco Matriz de decisión									
Gestor de informes Informes por solución									
- Promes por soucion -			Valor	er Solucio	ees por H	pótesis			


TDI. REPORTS


	Cales Children	134 - 2			Cana		Ri .	2 5	3 3	E Zame	27	23	
Page 1	Espertensis N. A. I	10000		# 0F (0)	. 9	FEB.	relational - con	tomate time	and the last	2 town	y thus		
	A	Aprilla		Abhaobi	- 2	Rosen V	- 1	Distr.	049		Notifice		
			0	1		- 1		0				-	
21													
32 Afe	Face Alle		anda de visiones I							Subvención por visio		Othe per many	
		- Account on	and the same of	AND MARKET						named and the		and the same	
35		1			0		1,69						
34	1 Cambrusson		- 1			LOS	0609	- 1	Lincon				
38	4 Comstrucción 5 Comstrucción		- :			1,000		- :	1,0007690				
		-	20000	1000	W			1		14090	260	246	COMB.
	7 Explotación	7	29000	3639	W			1,60	1,5000000	145000	369	179	HOUSE.
41	E Explotación E Explotación		30050	3640				1,0404 1,041206	Lineach	144000			6574 0853
49	10 Explotacion		2000	1700				1,0000004	1, Penalter	14000	174	1.6	
			21000	3650	*								
40	12 Exploración	12	33000	1600				EDGROUP	LEGIMETS	200000	.186	26	100
47	15 Explotación 16 Explotación	10	XXXXX	1090				17100000	3,0090636	10000			mail mar
40		10	1000	6530				PRODUCTORS	3.79006219	EMERGE	267	196	0.71
49	16 Explotación	16	15000	4000	*			1,71000442	3,54061688	9040	41.6	201	0404
50	17 Explotación	17	34530	4210				2600/1006	1,00775790	360629			OC/S
11	18 Explotación 19 Explotación	10	34000	4040				2600E765 1,7000668	A STATE OF LANS ASSESSED.	9000	ACT.	300	HOUSE HOMA
33	20 Explosion		200000	460	*								
	25 Explotación		267790	4000			0 1	3410003164	3,20063600	£7,000	1467	246	CHINA
33 26	III Explotación III Explotación	29	30000	4639				ARCHORES	TRICAMES TRICAMES	17490			0052
10	26 Explotacion	26	17000	600			2. 2	ADDROSS.	A.DEPTOME	17000	434	120	OCU1
58	25 Explotación	25	17000	4630			0 1	49001179	4,000 PROTE	189000	001	232	2005
29	26 Explotación	26	17600	4000				AENCH	4,54002961	10000			00EL
	27 Explosures 26 Explosures	29	30000	2040				\$5000004 51000000	A.KUDARRAS S.YUMBORN	194005	294	240	0004 0074
													MWA.
93			H + K K	Date form	Vota Si Aparla	Programador Indo G	200 A230		F.			-	
6	Description Description of Control of Contro	4 K 8 - 1	Pic Pictures H = K' K' - Δ = Δ =	Carronalistic	Vota Si Aporto	Programation tends of	J · N 00	wa.	Formato Day	September 1988	Pin S	* (1)	
Ė	Poto Branter £ Cotter £ Coper Corners £ Coper Corners £ Coper Corners £ Coper Coper Coper	atter	n - A' a'	Comments of the second	Vota Si Aporto	Programador Indo G	J · N 00	wa.	Formato Day	September 1988	3 S	* (1)	
Ė	Description Description of Control of Contro	atter	n - A' a'	Carronalistic	Vida Significant	Programation of testing contract = 100 mary co	J · N 00	enerone V.A.	Formula Daniel	Communication of the state of t	Par E	• []	
Ė	Doos Brantie A Cotte Ja Coper Tomado Massaches A Presipuedas	atter	n - A' a'	Construction Control C	Vota Vota Si Apuda (in) (contraction	Programator or teste Gramary central or 15	Jr % co		Francis Des	To promote the control of the contro	Par S)	
1	Door Branter \$ Coper \$ Coper formers \$ Presupported \$	atter	n - A' a'	Color Reduction of the last of	Vota Vota Si Apuda (ig) Contraction C 21718389	Programator or teste Gramary centrur • 10 5	one scarce I N co scarce Templer	SALUE CONTRACTOR OF THE SALUE	Formula Des	Ternapion type 1	Protes	a name	
3 6 6	Janes Beefer A Center J Caper J Caper formats A	atter	n - A' a'	Construction Control C	Volla Volla Spunta (ig) (control control co	Programator G nery centrur - 10 7225461,16 12340856,54	Templer	MACONDE	Formers De- received on the	Temple tipe 1 Corporation of the control of the co	Para Con	A E	
1	Door Breater \$ Cater \$ Capertermone foreseers A	atter	n - A' a'	Color Reduction of the last of	Vota Significant C 21718389 41962814	Programation of tests	Temple Science	CALLAR CALLAR Cones y Sanea	Formers De- remotes De- redoted - con- tr	Ternapion type 1	Pres Con Pres Pres Pres Pres Pres Pres Pres Pres	A E	
D H H	Door Dooler Later Caper Coper Cop	atter	n - A' a'	Compounds Compou	Vota \$ 100 (net) C 2178999 41963914 1153297	Programator G nery centrur - 10 7225461,16 12340856,54	Templer	CALLAR CALLAR Cones y Sanea	Fairments De- mandational Co- transfer of the	Terrapion 190 1 Estamado Edito de obda y orda y or	Prior Co	con Funda	
3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Disc State \$ com \$ co	atter	n - A' a'	(Deportment) Curies French (Europe (Deportment) (Europe (Deport	Vota \$ 100 (net) C 2178999 41963914 1153297	D 7225463.36 12340056.54 13954273.49 4042,37	Templer Engineer	CALLAR CALLAR Cones y Sanea	Formation Day indicated con-	Temple from a facility of the control of the contro	Prior Co	d plano federa pleo placon pleo pleo pleo pleo pleo pleo pleo pleo	
13 m 14 m 15 m 16 m 17 m 18 er 19 m	Dono Donte Dono Donte J. Core J. Core J. Cope Trough	atter	n - A' a'	Description	C 21718390 50963426 41962814 1152297 34002000 50000000000000000000000000000000	7229461,16 7229461,16 1239036,54 1339027,45 115221,67 40402,37 2,5	Templer Extension Materials Curete Nines	ENEXYOR:	Francis De Consideration Consi	Tomada Edilin de	Process of a Proce	G phamo bedero pheo phoop pheo pheo pheo pheo pheo ph	
13 m 14 m 15 m 16 m 17 m 18 e	Dono Donte Dono Donte J. Core J. Core J. Cope Trough	atter	n - A' a'	Curios Enema III III III III III III III III III I	C 21718389 5063426 41542314 1152297 1416209 5000000	7229461,16 7229461,16 1239036,54 1339027,45 115221,67 40402,37 2,5	Templer Disavacia Materials Sinel	ENEXYOR:	Francis De Consideration Consi	Amendo Están de obder odder od	Protesta Con Prote	G phamo bedero pheo phoop pheo pheo pheo pheo pheo ph	
13 m 14 m 15 m 16 m 17 m 18 er 19 m	Doto Stanfor L Corne J Coper C J Coper C A Presupports A	atter	n - A' a'	Temporaries	C 22718389 50963426 4395284 1154270 5000000 50700000 50700000 50700000	D 7229463.16 13994271,45 13528,37 2.5 43501	Temple Exercise Number of Superior Supe	the system of th	Francis De la condiciona del condiciona de la condiciona del condiciona de la condiciona de	Temples Edition of the order o	President Company of the Company of	d plano hedero hee so	
13 m 14 m 15 m 15 m 17 m 18 m 19 m 20 m 21 m 21 m	Door Breaker \$ Come \$ Coper fromton \$ Coper fromton \$ Prerupcette \$ A	atter	n - A' a'		C 22738389 5093436 41952315 1152297 34002000 52900000 5378754	D 7229461,16 1229461,16 1229461,16 122946271,49 13934271,49 4042,37 2,5 4350 16,5 96,36 44,06	Templer (Supress) Templer (Supress) Templer (Supress) Templer (Supress) Templer (Supress) Tiple (Supress) Tiple (Supress)	ENEXODE.	For the second s	America Silventino Silvenino Silveni	President of State of	d dame framedo de	
13 m 15 m	Date State # Cote #	atter	n - A' a'	Deliver Deli	C 21718369 5063426 4186384 115237 1408200 5000000 578175 578755 57875	D 7229463,16 12790565.51 12790565.51 1279056.57 135229,67 43501 15,5 15,5 15,5 15,5 15,5 15,5 15,5 1	Templer (school)	The States of th	French De	Tempére 100 2 Facus de 100 de	Process of Process of Street P	G Planto Indiana Promotion Indiana I	
10 m	Door Breaker \$ Come \$ Coper formers \$ Coper formers \$ Coper formers \$ Prereposite	atter	n - A' a'	Description	C 2778899 5000000 24200000 3420000000 3420000000 342000000 342000000 342000000 342000000 342000000000 342000000 342000000 3420000000000	Programation of tends	Templer Schwick Miles III Falls III	End 2000 E. Service of the service	Francis De Condition de Conditi	Templés 500 or e 500 v orde 100 orde 1	President Comments of Comments	d fundamental formation for the fundamental formation for the fundamental formation for the fundamental fundamental formation for the fundamental fund	
13 m 14 m 15 m 15 m 17 m 18 m 19 m 20 m 21 m 21 m 22 m 23 m 24 m 25 m	Date State # Cote #	atter	n - A' a'	Transacional Tran	C 277,8349 50963426 43952814 50900000 50900000 578179 578924 489613 187322 489613 187322 489613 187322 489613 187322 589614 5896	Programator Commercy comber 7 (8) (8) (8) (8) (8) (8) (8) (8) (8) (8)	Templer Ecovicis Materials Currents Signature	enes y Sance ones; ones; ones; ones; ones Planta ones Planta ones Planta ones Secrete ones Secrete	Francis De modernes de la constanta de la cons	Temple Spinister	Processor Company of the Company of	distribution formulation for the control of the con	
13 m 14 m 15 m 15 m 17 m 18 m 19 m 20 m 21 m 21 m 21 m 22 m 23 m 24 m 25 m 26 m 27 m 28 m 29 m 29 m 20 m 20 m 21 m 22 m 23 m 24 m 25 m 26 m 27 m 28 m 28 m 28 m 28 m 28 m 28 m 28 m 28	District Bearing A. Corpe Co. Corpe	atter	n - A' a'	The content of the	C 21718389 (2016) (1522	Programator visite Grant Commercy comber - 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Templer Excessor Superation (Connection Superation (Connection Superation (Connection Superation (Connection (Conn	mes y Sanee ones: ones: ones: ones: ones: ones: ones: ones: ones: ones: ones: ones: ones: ones: ones: ones: ones: ones:	Tremate Swindsond Commission of Commission o	Temples for the second of the	President Comments Co	G stamo fermada filas fi	
13 m 14 m 15 m 16 m 17 m 18 m 20 m 21 m 21 m 22 m 22 m 23 m 24 m 25 m 26 m 27 m 28 m 29 m 20 m 20 m 20 m 20 m 20 m 20 m 20 m 20	Dotto Deather & Corte Control Court of	atter	n - A' a'	Three-averages Three-averages	C 22718389 S0643436 4394300 24200000 592130 59000000 592130 592130 480813 214366 13200000 592130 592120 592120 592120 592120 592120 592120 592120 592120 592120 592120 592120 592	Programator Control of	Templer Excivacio Materiale Disease Sinel Disease Sinel Disease Sinel Disease Sinel Disease Superation Superat	enes y Senee press or Planta single press or Planta single press or Planta single press or Senet or Se	French Burndond Col	Annual States or a state or a sta	Problem Con	distribution of the control of the c	
13 m 15 m	Intel State A Core C Grown C G Core C G Core A Core A Core C G Core C G Core A	atter	n - A' a'	The content of the	C 21718399 (ambition of the control	Programator reads	Templer Scarce Superior Superi	Enclasor E nes y Sances ones; sances ones; es Planta Viadurio ones Geotte frontieres Compile Correctores officación	nicentarias	Temples 500 for the second of	Probability of Probab	G Hamous Farmania Maria	
13 m 15 m 15 m 15 m 17 m 18 m 20 m 21 m 22 m 23 m 23 m 24 m 25 m 25 m 26 m 27 m 28 m 29 m 20 m 20 m 20 m 20 m 20 m 20 m 20 m 20	Intel State A Core C Grown C G Core C G Core A Core A Core C G Core C G Core A	atter	n - A' a'	They was selected The selected	C 21718399 50663436 41863814 1154287 34186381 34	Programator Control of	Templer Excavols Convents Number 1 (1) Fabruage Reposts Farsured Convents Denvis Farsured Convents (1) Electron Medicine (1) Electron (The system of th	Francis Du conditions - conditi	Amenda forms or a star of the	Process of the Proces	distribution framework fra	
13 m 15 m	Intel State A Core C Grown C G Core C G Core A Core A Core C G Core C G Core A	atter	n - A' a'	The content of the	C 21718399 50663436 41863814 1154287 34186381 34	Programator reads	Templer Scarce Superior Superi	The system of th	Francis Du conditions - conditi	Temples 500 for the second of	Process of the Proces	distribution framework fra	
13 m 15 m 16 m 17 m 18 m 19	Intel State A Core C Grown C G Core C G Core A Core A Core C G Core C G Core A	atter	n - A' a'	They was selected The selected	C 21718399 50663436 41863814 1154287 34186381 34	Programator Control of	Templer Excavols Convents Number 1 (1) Fabruage Reposts Farsured Convents Denvis Farsured Convents (1) Electron Medicine (1) Electron (The system of th	Francis Du conditions - conditi	Amenda forms or a star of the	Process of the Proces	distribution framework fra	
13 m 15 m	Intel State A Core C Grown C G Core C G Core A Core A Core C G Core C G Core A	atter	n - A' a'	They was selected The selected	C 21718399 50663436 41863814 1154287 34186381 34	Programator Control of	Templer Excavols Convents Number 1 (1) Fabruage Reposts Farsured Convents Denvis Farsured Convents (1) Electron Medicine (1) Electron (The system of th	Francis Du conditions - conditi	Amenda forms or a star of the	Process of the Proces	distribution framework fra	
13 m 15 m	Intel State A Core C Grown C G Core C G Core A Core A Core C G Core C G Core A	ARREST TO THE PROPERTY OF T	n - A' a'	They was selected The selected	C 21718399 50663436 41863814 1154287 34186381 34	Programative Contract	Templer Excavols Convents Number 1 (1) Fabruage Reposts Farsured Convents Denvis Farsured Convents (1) Electron Medicine (1) Electron (The system of th	Francis Du conditions - conditi	Amenda forms or a star of the	Process of the Proces	distribution framework fra	
13 m 15 m	There I have a compared to the	ARREST TO THE PROPERTY OF T	n - A' a'		Vota \$2 Apartic \$2 Apartic \$2 Apartic \$3 Apartic \$4 A	Programative Contract	Templer Excavols Convents Number 1 (1) Fabruage Reposts Farsured Convents Denvis Farsured Convents (1) Electron Medicine (1) Electron (The system of th	Francis Du conditions - conditi	Amenda forms or a star of the	Process of the Proces	distribution framework fra	
13 m 14 m 15 m 17 m 18 m 18	Inco Stories A Common Stories	ARREST TO THE PROPERTY OF T	n - A' a'	Description	Vota \$\tilde{\text{SQL}}\text{Quadratic} \$\tilde{\text{SQL}}\text{Quadratic} \$C\$ 227.8389 43863814 43863814 43863814 43863814 53690000 55990000 55990000 55990000 55990000 55990000 55990000 55990000 55990000 55990000 55990000 55990000 55990000 559900000 559900000 559900000 559900000 559900000 559900000 559900000000	Programative Contract of Contr	Templer Excavols Convents Number 1 (1) Fabruage Reposts Farsured Convents Denvis Farsured Convents (1) Electron Medicine (1) Electron (The system of th	Francis Du conditions - conditi	Amenda forms or a star of the	Process of the Proces	distribution framework fra	
13 mm 15 mm	There I have a compared to the	ARREST TO THE PROPERTY OF T	n - A' a'		Vota \$2 Apartic \$2 Apartic \$2 Apartic \$3 Apartic \$4 A	Programative Contract of Contr	Templer Excavols Convents Number 1 (1) Fabruage Reposts Farsured Convents Denvis Farsured Convents (1) Electron Medicine (1) Electron (The system of th	Francis Du conditions - conditi	Amenda forms or a star of the	Process of the Proces	distribution framework fra	
10 mm	The State of Community of Commu	ARREST TO THE PROPERTY OF T	n - A' a'		Vota \$\times_{\text{1}\text{1}\text{2}\text{1}\text{2}\text{1}\text{2}\text{1}\text{2}\text{2}\text{1}\text{2}	Programative Contract of testing	Templer Excavols Convents Number 1 (1) Fabruage Reposts Farsured Convents Denvis Farsured Convents (1) Electron Medicine (1) Electron (The system of th	Francis Du conditions - conditi	Amenda forms or a star of the	Process of the Proces	distribution framework fra	
10 mm	inco Branca A Color Colo	ARREST TO THE PROPERTY OF T	n - A' a'		Vota \$\tilde{\text{SQL}}\text{Quadratic} \$\tilde{\text{SQL}}\text{Quadratic} \$C\$ 227.8389 43863814 43863814 43863814 43863814 53690000 55990000 55990000 55990000 55990000 55990000 55990000 55990000 55990000 55990000 55990000 55990000 55990000 559900000 559900000 559900000 559900000 559900000 559900000 559900000000	Programative Control of Control o	Templer Excavols Convents None Superior None	The system of th	Francis Du conditions - conditi	Amenda forms or a star of the	Process of the Proces	distribution framework fra	





THE INTERFACE OF TADIL - THE MODULE TDI. GENERATION OF RAILWAY LAYOUT

















FUTURE VERSIONS

COMPLEMENTARY SOFTWARE

- ROAD VERSION.
- DITEL: SOFTWARE TO DESIGN STRUCTURES AND TUNNELS
- VOS & CADIOP: SOFTWARE FOR VIRTUAL VISION ON SITE.

AR EXPORT:

- AR VIRTUAL MODELS (VIRTUAL MINIATURES ON THE TABLE)
- VIRTUAL VISION IN SITU E 1:1.





Movarec wrote about Artificial Intelligence:

"In a quite fast way, we could be out of place and existence... Like the biological children of the previous generations, machines represent the best hope of the humanity for a long term future. It is up to us to offer them all the advantages and how to retire us when we cannot contribute."

> EJE PRINCIPAL VIA DOBLE VIAS (DERECHA) y (IZQUIERDA)

VIA 3

VIA 5







